

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO28301	Receipt Dates from 5/5/2015 to 5/5/2015

All Item ID/GL/WOs	All Rec. Employees	All Currencies

Grouped by Vendor ID

Total Received Quantity:	77.0000
Total Qty to Inspect (PO U/M):	0.0000
Total Reject Quantity:	0.0000
Total Receipt Value:	\$972.13
Total Balance Due Quantity:	0.0000

DISTRIBUTEUR D'ACIER ET DE MÉTAUX SPÉCIALISÉS
STEEL AND SPECIALTY METALS DISTRIBUTOR

www.aciercampi.com

0967-8821

ORDER N° 247439

DATE	01/05/15
BON DE LIVRAISON PACKING SLIP	N°
DATE DE LIVRAISON DELIVERY DATE	05/05/15

REMARKS / REMARKS	PAGE N°
	001

PRIX PRICE	PAR PER	* +	MONTANT AMOUNT
Contrôle Qualité			
Quantité de matériel	<input type="checkbox"/>		
Dimension	<input type="checkbox"/>		
Longueur	<input type="checkbox"/>		
Largeur	<input type="checkbox"/>		
Épaisseur	<input type="checkbox"/>		
Matériaux divers	<input type="checkbox"/>		
Spécifié par			

SOLS-TOTAL	
SUB TOTAL	
T.P.S.	
G.S.T.	

RECEIVED IN GOOD CONDITION

3/10

SBR- .375- -CD -304L * 32419 * 1005757 * MX6534 * 1/31/2014

61881

VIRAJ PROFILES LIMITED

VIRAJ

Regd & Mkt off: G-33 & 34, MIDC, Industrial Area, Tarapur, Thane (Dist), Maharashtra, INDIA - 401506, E-Mail: sales@viraj.com
Works: SURVEY No- 114, 119 & 120, VILL. Mahagan, Tal: Palgar, Dist: Thane-401501, MAHARASTRA, INDIA, vietqc@viraj.com

RSS 38

TEST CERTIFICATE

CUSTOMER	ORDER NO	PACKING LIST NO	INSPECTION NO	DATE
FIDELITY PAC METALS LTD. 1303 North Service Rd East, Unit 1, Oakville ON L6H 1A7 CANADA.	PO2868	51/967492/11	100003598317	27.02.2014
			GRADE 304/304L	HEAT No 32419
BUNDLE NO : 1100127369, 1100127370, 1100127371,				

DESCRIPTION

STAINLESS STEEL BRIGHT BARS

COLD DRAWN POLISHED - 2H

SIZE	SHAPE	TOLERANCE	LENGTH	PIECES	WEIGHT
3/8"	ROUND	ASTM A484	12' - 14'	641	2,923.000 LB

CHEMICAL ANALYSIS

%C	%Mn	%Si	%S	%P	%Cr	%Ni	%Cu	%Mo	%Co	%N2
0.0180	1.140	0.350	0.0200	0.0360	18.400	8.020	0.590	0.270	0.160	0.07400

TEST RESULTS

0.2% yield strength ksi	Tensile Strength ksi	Elongation %	Reduction Of Area %	Hardness BHN	Grain Size NOS
95.0	110.0	43.0	70.0	223.0	7.0

SPECIFICATION:

MATERIAL CONFIRMS TO DIN EN 10088-3:2005/WNr 1.4301/1.4307 EN 10222-5 AND EN 10272 COND-A & ASTM A182/A-182M-11, A276-13 COND A, A479/A479M-13 COND A, A193/A193M-11a B8 CL-1, A320/A320M-11a B8 CL-1, A484 11, A388/A388M-05, ASME SA182-04, SA479-04, SA 193-04 B8 CL-1, SA320-04 B8 CL-1, ASTM A314-2002 IGC SATISFACTORY AS PER ASTM A 262-10 PRACTICE E, AMS 5639H /AMS5647H (EXCEPT MARKING), QQ-S-763F, NACE MR0103, NACE-MR0175-2003, SAE-AMS-S-7720A, MIL-S-862-B, AISI 304/304L & UNS#S30400/S30403, CERTIFICATION AS PER EN 10204-3.1.

REMARKS

MATERIAL IS FREE FROM MERCURY CONTAMINATION, FREE FROM WELD OR WELD REPAIRS, MICRO-FREE FROM CONTINUOUS CARBIDE NETWORK ON GRAIN BOUNDARIES, MACRO-GOOD, MINIMUM SOLUTION ANNEALING TEMPERATURE 1050C, SOAKING TIME 1 1/2 HRS, WATER QUENCHED, MELT SOURCE: AOD. WE CONFIRM THAT THE MATERIAL HAS BEEN TESTED AND FOUND TO BE FREE FROM RADIOACTIVE CONTAMINATION, COUNTRY OF ORIGIN: INDIA.

We hereby certify that the material described above has been tested and complies with the terms of order/contract.

Q.C. Reviewed
SK07/31/14

WORKS INSPECTOR
K R K MURTHY

Material Test Report

Ship To: _____

Manifest: 272337Ticket:
5345729

Our Order: 400728 - 6

Cust P.O.: LAV-15648

Die: ES05691

Part: 3420604

Alloy Temper: 6061 T6Description: .375 x 1.000

Print Date: 1/15/14

OK 15/05/11

Chemical Composition Range

6061	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OtherEach	OtherTotal
Min	0.40		0.15		0.8	0.04				
Max	0.8	0.7	0.40	0.15	1.2	0.35	0.25	0.15	0.05	0.15

Mechanical Properties

Strength ksi

Sample ID	Cast #	Lot #	Test Date	Ultimate Tensile	Yield 2% offset	Elongation 2" gage length
500686	<u>13121091A</u>	A11	1/14/14	41.76	37.37	11.4


Applicable Specifications: ASTMB221-13 QQA200/8

Country of Origin: ONTARIO, CANADA

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Ray Hussain - Tensile Testing

Authorized: _____


Evan Eng, Quality Assurance Mgr.

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: H30420375
 DATE: 15-05-08

PO / BATCH NO.: 1028301 / H132209

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .375"
 THICKNESS RECEIVED: .395"
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	
CORRECT REF # TO LINK CERT	(Y) N	<u># 32419</u>
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>9-89</u>	SIGNED OFF BY: _____
DATE: <u>15-05-08</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M606 TL
 DATE: 1505/06

PO / BATCH NO.: 28361/M132209

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 6.0
 QUANTITY INSPECTED: 6.0
 QUANTITY REJECTED: _____

THICKNESS ORDERED: .375X1.00
 THICKNESS RECEIVED: .375X1.00
 SHEET SIZE ORDERED: _____
 SHEET SIZE RECEIVED: _____


DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL	(Y)	N	
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT MATERIAL	(Y)	N	
CORRECT REF # TO LINK CERT	(Y)	N	
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>14</u> <u>9-80</u>	SIGNED OFF BY: _____
DATE: <u>1505/06</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

	Dart Aerospace Ltd.
	1270 Aberdeen Street
	Hawkesbury, ON K6A 1K7
	Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO28301**

Purchase Order Date 4/29/2015

PO Print Date 4/29/2015

Page Number 1 of 4

Order From :

VC-CAM002

Ship To :

DART AEROSPACE LTD

CAMPI STEEL
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Buyer

Chantal Lavoie

Vendor Phone

800 667 4248

Customer POID

Customer Tax #

10127-2607

Ship To Contact

Terms

Net 30

Ship To Phone

Currency

CAD

Ship Via:

Yours ppd

FOB

FCA - (Free Carrier)

Ship Acct:

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M6061T6B0.375X01.000	6061T6 BAR .375 x 1.00	5/4/2015 Yes 5/4/2015		48.00 f Loop recu	\$1.17	\$56.38
	MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221						
	Line Total:						\$56.38
2	M6061T6B0.750X00.750	6061-T6 Bar .750 x .750	5/4/2015 Yes 5/4/2015		20.00 f ✓	\$2.25	\$45.01
	MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221						
	Line Total:						\$45.01

Note:

4/29/2015



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO28301**

Purchase Order Date 4/29/2015

PO Print Date 4/29/2015

Page Number 2 of 4

Order From :

VC-CAM002

Ship To : DART AEROSPACE LTD

CAMPI STEEL
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

800 667 4248

Ship To Contact

Ship To Phone

Ship Via:

Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

3 M304R0.375

304 ROUND BAR 0.375

5/4/2015

12.00 ✓

\$1.19

\$14.32

Yes

5/4/2015

MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276

(NOTE: AISI 303 NOT ACCEPTABLE)

Line Total:

\$14.32

4 71725-45

PLATE HRPO 1/4"
THICK X 5 X 8

5/4/2015

5.00 ✓

\$217.60

\$1,088.00

Yes

5/4/2015

Each

Line Total:

\$1,088.00

Deliver To: ERIC.C

5 71525-10

6061T6 BAR 1 X 2

5/4/2015

24.00 ✓

\$3.71

\$89.00

Yes

5/4/2015

f

Line Total:

\$89.00

Deliver To: JEAN-LUC

Note:

4/29/2015